

Charles Bentley Monster Trampoline

Assembly Instructions

SKU: SLTR8FT/SLTR10FT/SLTR12FT




Please Read All Instructions Thoroughly Before Starting Assembly

INTRODUCTION

Before you begin to use this trampoline, you must read all the information in this manual. Just like any other type of physical recreational activities, participants can be injured. To reduce the risk of injury, be sure to follow the appropriate safety rules and tips.

- Misuse and abuse of this trampoline is dangerous and can cause serious injury!
- Trampolines are rebounding devices which propel the performer to unaccustomed heights through a variety of movements – always use caution when playing on a trampoline.
- Always inspect the trampoline before each use.
- Proper assembly, care and maintenance of product, safety tips, warnings, and proper techniques in jumping and bouncing are all included in this manual. All users and supervisors must read and familiarize themselves with these instructions. Anybody who chooses to use this trampoline must be aware of their own limitations in regards to performing various jumps and bounces with this trampoline.

Initially, you should get accustomed to the feel and bounce of the trampoline. The focus must be on your body position and you should practice each fundamental bounce until you can do each skill before moving on to more difficult and advanced bounces. Do not bounce recklessly on the trampoline, emphasis must be made on good control and the mastering of various bounce techniques.



No more than one person is allowed on the trampoline! Multiple jumpers increase the risk of injury resulting from mid-air collisions.



Do not perform somersaults (flips) as this will increase the chances of landing on your head or neck. Paralysis or even death can result.



TRAMPOLINE GUIDELINES

1. General Instructions

1.1. Purpose

- The product is intended for home/domestic use only and is not suitable for professional or medical uses.
- The maximum weight: 4.5ft: 70kg; 6ft/8ft: 100kg; 10ft/12ft/13ft/14ft/15ft/16ft: 150kg.
- Overloading the trampoline above the recommended user weight will cause damage to the trampoline which is not covered by the warranty.

1.2. Danger for children

- Do not let unsupervised children near this product. Carry out the necessary safety precautions and supervise all trampoline activities. Be aware that the packaging material is not suitable for children. There is danger of suffocation!
- Trampolines over 51cm (20inches) in height are not recommended for children under 6 years of age as children may not recognize potential dangers from this product. Keep children away from this product, as it is not a toy. The product must be stored out of reach of children and pets.

1.3. Attention – product damages

- Do not alter the product. Only use original spare parts. Repairs should only be carried out by qualified technicians. Improper repairs can compromise the safety of your trampoline. Use this product only as described in this manual.
- Protect the product against humidity and high temperatures.

1.4. Advice for assembly

- The assembly of the product must be completed carefully by at least two able-bodied adults. If in any doubt, ask a technically qualified person.
- Before you start assembling the trampoline, read all the instructions in this manual.
- Remove all packaging materials and lay down all parts on a free space. This gives you an overview and simplifies the assembly procedure.
- Check with the parts list that no parts are missing. Dispose of the packaging material when assembly is complete.
- Beware that when using tools or doing technical work, there is always a risk of injury, therefore assemble the product carefully.
- Create a danger free environment, for example: do not leave tools lying around the workspace.
- Store the packaging material in a way that cannot cause any danger. Foils and plastic bags are dangerous for children (danger of suffocation!)

-
- After installing the product according to the instruction manual, please make sure that all screws, bolts and nuts are correctly installed and tightened and that all joints are tightly fixed.
 - A clearance space of at least 7.3m is necessary above the trampoline. An appropriate clearance must be kept between the trampoline and possible sources of danger, such as electric cables, tree branches, playing devices, swimming pools and fences.
 - The trampoline must be set up properly before use.
 - Never set up the trampoline in rainy, windy or stormy conditions, especially lightning. It is recommended that the trampoline be taken apart and stored in bad weather.
 - The metal frame of the trampoline will conduct electricity. Lightning, extension cords and all electrical equipment must never be allowed to come in contact with the trampoline.
 - The trampoline must always be used in a well-lit area.
 - Do not place any objects under the trampoline.
 - The trampoline must not be used in the vicinity of other leisure devices and constructions.
 - When assembling or disassembling, please use gloves to protect your hands.

1.5. Additional tips

- For additional stability you can place sand bags on the trampoline legs. This will prevent the trampoline from tipping over in the event of any sideward force.
- Do not use during pregnancy.
- Do not use when suffering from high blood pressure.
- Jump with bare feet. Do not wear shoes; this will damage the jumping mat which is not covered by the warranty.
- No smoking. Do not put cigarettes, pets, sharp objects, or any other foreign objects, on the trampoline.
- Do not use the trampoline whilst under the influence of alcohol or drugs.
- Do not sit or lean on cover pads as it needs to be feeble so it can move with the jumping mat. Please do not allow small children to pull themselves up the trampoline by using the cover pads. Tears in stitching caused by obstructing frame pads are not covered by warranty.
- Place trampoline on level ground. Preferably on grass. Locating the trampoline on hard surface will add stress to the frame and overtime cause damage which is not covered by the warranty. Placing the trampoline on an uneven surface may result in the trampoline tipping over.
- Do not expose the trampoline to direct contact with open flames.

-
- Secure the trampoline against unauthorized use.
 - Do not use if trampoline is wet.
 - Trampoline should be tied down with anchors during windy conditions or dismantled and stored away.

WARNING

1. Please ensure that the safety enclosure net zipper is 100% closed and all three entrance hooks are re-hooked before jumping.
2. Do not intentionally jump into the safety net; it is only designed to stop persons from falling off the trampoline. Intentional jumping into the safety net may cause the trampoline to topple over, or may damage the net. Abuse of the safety net is considered negligent use which is not covered by the warranty, please refer to the disclaimer.

2. Safety Instructions For Trampolines

- All users of the trampoline need a supervisor regardless of the age and experience of the user.
- The safety instructions of the trampoline should always be considered and obeyed.
- Somersaults must be avoided. Incorrect landings on the trampoline can lead to injuries, particularly to the back, neck or head. Injured may include paralysis or even death.
- Only one person should use the trampoline at a time. Multiple users on the trampoline will increase the risk of collision.
- The trampoline has to be examined for damaged, worn or defective parts before every use, as it can impair the overall safety of the trampoline. The damaged, worn or defective parts should be replaced immediately. In the meantime the trampoline must be restricted from access.
- No clothes with hooks or parts may be worn when jumping on the trampoline, in order to avoid hooks getting caught.
- The trampoline must be set up only on flat ground and a non-slip surface.
- Strong wind can blow the trampoline away. If strong winds are predicted, the trampoline must be moved to a protected place, and taken apart, or fastened to the ground with cords. At least three anchorages are necessary; it is not enough to anchor the pennants in the ground as this can tear out of the patch cords.
- Try to avoid moving the assembled trampoline, as it could bend during transportation. Should it be necessary to move the trampoline, please consider the following: at least four people must be evenly spaced around the frame to lift the trampoline off the ground. The trampoline must be carried horizontally, and if the frame shifts position, use four people to draw the trampoline into shape.
- Trampolines are jumping devices, enabling the user to jump to unusual heights as well as into a multiplicity of body movements. Jumping into the trampoline, hitting the frame, cover pads or incorrect landing on the trampoline can lead to injury.

-
- Users should be familiar with the user manual. This manual contains assembly instructions and selected precautionary measures, as well as recommendations for servicing and maintenance of the trampoline in order to ensure a secure and enjoyable use of the trampoline.
 - It is the responsibility of the owner and the supervisor to guarantee that all users of the trampoline are informed sufficient space around the trampoline is necessary as a safety precaution.
 - Never use the trampoline near water, and keep sufficient space around it as a safety precaution.
 - Beware of moving parts in which you could catch your arms or legs.
 - Do not stick any foreign objects into the trampoline.
 - Do not allow anyone or any object to go under the trampoline whilst someone is jumping on the mat. The jumping mat is flexible and the downward force created by someone jumping can cause serious injury.
 - Implement all safety rules and make yourself familiar with the information in the user manual.
 - The trampoline can only be used if the jumping mat is clean and dry. Worn or damaged jumping mats should immediately be replaced.
 - Objects which could be dangerous to the user should be vacated from the area.
 - Avoid unauthorized and unsupervised use of the trampoline.
 - Do not use the trampoline under the influence of alcohol and/or drugs (including medicines).
 - Learn the fundamental jumping techniques thoroughly before trying difficult jumps. For more information see section – Fundamental Bounce Techniques.
 - Do not climb on the trampoline. Do not jump on it directly. Do not use the trampoline as a springboard for other articles. For more information, see section – Accident Categories: Mounting and Dismounting.
 - For further information or exercise documents, you can turn to a trained trampoline teacher.

TRAMPOLINE PARTS LIST

| | MODEL SIZE | 4.5ft/ 1.4m | 6ft/ 1.8m | 8ft/ 2.4m | 10ft-a 3m | 10ft-b 3m | 12ft/ 3.7m | 13ft/ 4m | 14ft/ 4.27m | 15ft/ 4.57m | 16ft/ 4.88m |
|---|---------------|----------------|--------------|--------------|--------------|--------------|---------------|-------------|----------------|----------------|----------------|
| A | TOP RAIL | 6 | 6 | 6 | 6 | 8 | 8 | 8 | 12 | 10 | 12 |
| B | COVER PADS | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| C | JUMPING MAT | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| D | SPRINGS | 36 | 36 | 42 | 54 | 64 | 72 | 80 | 80 | 90 | 108 |
| E | LEG EXTENSION | - | - | - | - | 8 | 8 | 8 | 8 | 10 | 12 |
| F | LEG BASE | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 5 | 6 |
| G | SCREWS | - | - | - | - | 8 | 8 | 8 | 8 | 10 | 12 |
| H | SPRING TOOL | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |

4.5ft/6ft/8ft/10ft-a Trampoline (3 legs)



10ft-b/12ft/13ft/14ft Trampoline (4 legs)



15ft Trampoline (5 legs)



16ft Trampoline (6 legs)



TRAMPOLINE PARTS LIST CONTINUED...



A



B



C



E

E

F



D



G



H


TRAMPOLINE ASSEMBLY

Refer to parts list for identification of parts.



Two adults in good physical health are required for the following assembly. For your safety, you should wear proper shoes and clothing. Failure to follow these instructions and warnings may result in injury.

Note: Picture may vary slightly with different trampoline models.



1. Lay out all the trampoline parts in groups, as shown above.




2. Attach the leg extensions to a leg base and secure together with the screws. Repeat for all leg supports.



3. Attach all the top rails to form a large circle, joining the last link may require two people. The second person should hold the opposite side, whilst you bring both ends of the circle together.



4. Attach the all leg supports you assembled in STEP 2 to the top frame.



5. At this stage the trampoline should look like the picture to the left.



6. With stitching portion facing down, lay jumping mat inside frame and attach a spring into one of the triangle rings on the mat. Then attach the other end of the spring to the frame.



7. Repeat STEP 6 directly across from where you attached the first spring. Then attach two more springs half distance between the first two springs, directly across from each other. This will ensure equal tension is distributed between the springs.



8. Repeat process for the remaining springs. Use the spring tool, as shown above.

Warning: During spring assembly, please be careful where you place your hands and other parts of your body as connector points.



9. Springs under heavy tension may require adjacent springs to be attached at every four or five holes, so the spring tension is distributed equally.



10. Attach the remaining springs until all springs are attached onto the frame.



11. Lay the cover pads on the outer edge so the springs are covered.




12. Tie all the cover pad's strings onto the top rail of the trampoline.



13. Proceed to the 'Testing the Trampoline' section of this manual before jumping on the trampoline.

SAFETY ENCLOSURE PARTS LIST

| | Model Size | 4.5ft/ 1.4m | 6ft/ 1.8m | 8ft/ 2.4m | 10ft-a 3m | 10ft-b 3m | 12ft/ 3.7m | 13ft/ 4m | 14ft/ 4.27m | 15ft/ 4.57m | 16ft/ 4.8m |
|---|----------------------|----------------|--------------|--------------|--------------|--------------|---------------|-------------|----------------|----------------|---------------|
| A | Upper Pole | 6 | 6 | 6 | 6 | 8 | 8 | 8 | 8 | 10 | 12 |
| B | Lower Pole | 6 | 6 | 6 | 6 | 8 | 8 | 8 | 8 | 10 | 12 |
| C | Quick Clamp | 12 | 12 | 12 | 12 | 16 | 16 | 16 | 16 | 20 | 24 |
| D | Safety Enclosure Net | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| E | Spanner | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |




SAFETY ENCLOSURE ASSEMBLY

Refer to parts list for identification of parts.



Two adults in good physical health are required for the following assembly. For your safety, you should wear proper shoes and clothing. Failure to follow these instructions and warnings may result in injury.

Note: Picture may vary slightly with different trampoline models.



1. Lay out all parts prior to assembly; we recommend two people carry out assembly.



2. Insert the lower pole into the upper pole, repeat for all poles.



3. Slide in the enclosure pole.



4. Repeat STEP 3 for all the enclosure poles. Make sure you insert the poles firmly into the jacket.



5. You may need another person to hold the enclosure pole in place whilst you clamp the pole to leg supports in the next step.




6. Use the quick clamp to secure the enclosure pole to the upper hole of the leg extension and the hole of top rail's welded tube.

Use another quick clamp to secure the enclosure pole to the lower hole of the leg extension and the hole of the 'U' shape leg.



7. Repeat STEP 6 for the remaining poles.



8. Safety enclosure hooks when released should look like the above photo.



9. Attach the hooks to the nearest triangle ring of the mat. If you are finding this difficult, please refer to STEP 10.



10. Attach the hook to the ring portion of the spring.



11. Zip the entrance closed and fasten all the entrance hooks. Supervisors must re-zip and re-hook all the entrance hooks securely before jumping begins.



12. Your trampoline should now look like this. Proceed to the 'Testing the Trampoline' section of this manual before jumping on the trampoline.

TESTING THE TRAMPOLINE

After assembling the trampoline, it is important that you perform the following safety checks:

Trampoline Safety Checks

- Using a screw driver, check if all the screws are tightly secured.
- Look underneath the trampoline and check all the springs are hooked securely to the frame and triangle rings.
- Move the trampoline around and check the sturdiness of the frame.
- Using two hands put your body weight on one section of the trampoline and release to check that the floor is even.
- Inspect the cover pads and check they completely cover the springs and frame.
- Make sure the strings of the pads are tied securely.

Enclosure Net Safety Checks

- Hold onto the poles net jacket and check that they are all sturdy by shaking it.
- Check the enclosure net and pole jacket for any tears in the stitching or material.
- Check the enclosure net zipper and entrance hooks function properly.
- Check to see if all safety enclosure hooks are attached to the triangle ring underneath the trampoline.

Once all checks are complete and the trampoline has passed initial testing, have one person test the trampoline by jumping in the center continuously for 5 minutes. If the trampoline feels sturdy then your trampoline has passed the test. Congratulations, you have completed the trampoline assembly! Remember to abide by all safety rules. Have fun and play safe.

CHARLES BENTLEY

EST. 1860

Find Us On



Contact : customerservices@charlesbentley.com

Please Retain Instructions For Future Use

CHARLES BENTLEY & SON LTD
NORTH ROAD, LOUGHBOROUGH, LEICESTERSHIRE, LE11 1QJ